NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

WATER RESOURCES RECEIVED

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

SEP 1 5 2016
12:51
KS DEPT OF AGRICULTURE

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

City: Halstead Telephone Number: (316	N	State <u>ks</u>	Zip Code 67056
Telephone Number: (316	\		
() 835-3381		
The source of water is:	□ surface water in	(strea	im)
OR	groundwater in Little A	•	,
when water is released from these regulations on the da	n storage for use by water te we receive your applic	assurance district members.	If your application is subject to
The maximum quantity of v	vater desired is 15	acre-feet OR	gallons per calendar year,
to be diverted at a maximu	m rate of 50	gallons per minute OR	cubic feet per second.
requested quantity of water maximum rate of diversion	under that priority number and maximum quantity o	er can <u>NOT</u> be increased. Ple of water are appropriate and	ease be certain your requested reasonable for your proposed
The water is intended to be	e appropriated for (Check	use intended):	
(a) Artificial Recharge	(b) 🔳 Irrigation	(c) ☐ Recreational	(d) ☐ Water Power
(e) ☐ Industrial	(f) ☐ Municipal	(g) ☐ Stockwatering	(h) ☐ Sediment Control
(i) ☐ Domestic	(j) ☐ Dewatering	(k) ☐ Hydraulic Dredging	g (I) ☐ Fire Protection
(m) ☐ Thermal Exchange	(n) Contamination F	Remediation	
	TTACH ADDITIONAL DIVISION	N OF WATER RESOURCES FORM	I(S) PROVIDING INFORMATION TO REFERENCED ABOVE.
	OR Certain streams in Kansas when water is released from these regulations on the dareturn to the Division of Water maximum quantity of water to be diverted at a maximum. Once your application has requested quantity of water maximum rate of diversion project and are in agreement. The water is intended to be (a) Artificial Recharge (e) Industrial (i) Domestic	OR groundwater in	OR

5.	The le	ocation of the proposed wells, pump sites or other works for diversion of water is:
		For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A)	One in the $\frac{SW}{}$ quarter of the $\frac{SW}{}$ quarter of the $\frac{NE}{}$ quarter of Section $\frac{35}{}$, more particularly
		described as being near a point $\frac{2811}{1}$ feet North and $\frac{2547}{1}$ feet West of the Southeast corner of said
	•	section, in Township 23 South, Range 2W East/West (circle one), Harvey County, Kansas.
	(B)	One in the quarter of the quarter of the quarter of Section, more particularly
	(described as being near a point feet North and feet West of the Southeast corner of said
	•	section, in Township South, Range East/West (circle one), County, Kansas.
	(C) (One in the quarter of the quarter of the quarter of Section, more particularly
	(described as being near a point feet North and feet West of the Southeast corner of said
	,	section, in Township South, Range East/West (circle one), County, Kansas.
	(D) (One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
	,	section, in Township South, Range East/West (circle one), County, Kansas.
	four w	tery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common bution system.
6.		wher of the point of diversion, if other than the applicant is (please print):
		f Halstead, 303 Main Street, Halstead, KS 67056. 316-835-3381
		(name, address and telephone number)
	•	(name, address and telephone number)
	lando	nust provide evidence of legal access to, or control of, the point of diversion from the landowner or the wner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document his application. In lieu thereof, you may sign the following sworn statement:
		I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on August 29, 2016. Applicant's Signature
	Failur	pplicant must provide the required information or signature irrespective of whether they are the landowner. The to complete this portion of the application will cause it to be unacceptable for filing and the application will turned to the applicant.
7.	The p	roposed project for diversion of water will consist of one well
	and (v	(number of wells, pumps or dams, etc.) was)(will be) completed (by) September 1, 2016
8.	The fi (Mo/Da	rst actual application of water for the proposed beneficial use was or is estimated to be September 1, 2016 ay/Year)

File No. ____

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	☐ Yes ■ No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☐ No
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required NA
11	The application must be supplemented by a LLCCC tenegraphic man, social photograph or a detailed plat
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	Temporary Permit No. 20160063 approved March 31, 2016
	WATER RESOURCES RECEIVED

KS DEPT OF AGRICULTURE

SEP 1 5 2016

File No. ____

	formation below is from: Test holes	s 🔳 Well a	s completed	■ Drillers i	og attached
W	Vell location as shown in paragraph No.	(A)	(B)	(C)	(D)
D	ate Drilled	10-16-2006	w.		
T	otal depth of well	50'			
D	epth to water bearing formation	20'			
D	epth to static water level	10'			
D	epth to bottom of pump intake pipe	NA			
_		Idress and telep		,	
_	(name ac	dress and tele	phone numbe	<u> </u>	
	he undersigned states that the information is application is submitted in good faith.	·		•	knowledge and th
				^	
	ated at 3:00 pm Kans	as this 29	day of	tuaust	201/2
	ated at <u>3!00 pm</u> , Kans	as, this <u>29</u>	day of <i>/</i>	(month)	, 20/6 (year)
	ated at 3!00 pm , Kans (Applicant Signature)	as, this <u>27</u>	day of <i>/</i>	(month)	<u>, 20/6</u> (year)
	Et Thes	as, this <u>29</u>	day of <i>/</i>	(month)	, 20/6 (year)
<i></i>	(Applicant Signature)	as, this <u></u>	day of/	(month)	, <u>20/6</u> (year)
((Applicant Signature) (Agent or Officer Signature)	as, this <u></u>		(month) Date:	

File No. ___

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

ote: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES
RECEIVED

SFP 1 5 2016

IRRIGATION USE SUPPLEMENTAL SHEET

							Fi	File No											
			Nan	ne of	Appli	cant (Pleas	e Prir	nt): <u>C</u>	ity of	Hals	tead						-	
1. I	Please lesign	supp ate th	ly the	nam al nu	e and mber	addr of ac	ess ores to	ss of each landowner, the legal description of the lands to es to be irrigated in each forty acre tract or fractional portion						nds to ortio	o be in n there	rigated, and of:			
Land	lowne	er of l	Recor	d 1	NAM	E: <u>Ci</u> t	ty of]	Halste	ead										
				ADI	ORES	S: <u>30</u>	3 <u>Ma</u>	in Str	eet, H	alstea	ad, KS	6705	56						
	_			NI	E1/4			NV	V1/4	****		sv	V1/4			SI	E1/4		TOTAL
s	Т	R	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
35	23	2W			3.5											2			5.5
•									<u> </u>		l 								
Land	lowne	er of l	Recor	d 1	NAM	E:	,												
				ADI	ORES	S:													
				NI	E1/4			NV	V¹⁄4			sv	V1/4			SI	E1/4		
S	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
											=								
								<u> </u>	<u> </u>	l	<u> </u>		L		JL	<u> </u>	<u> </u>	<u> </u>	
Land	lowne	er of l	Recor	d]	NAM	E:													
				ADI	ORES	SS:													
	1		ı			-						CV	171 /		I	CI	71/		
S				NI	1/4				SW	SE	NE	NW	V¼ SW	SE	NE	T	E¼ SW	g E	TOTAL
	Т	R	NE	NW	SW	SE	NE	INW	J 37 77				1 3 W	SE		NW	l ow	SE	1
	Т	R	NE	NW	SW	SE	NE	NW	3 **	JI.		1, ,,	311	SE	NE	NW	3W	SE	
	Т	R	NE	NW	SW	SE	NE	NW	3 W	J.		1, 11	3W_	SE	NE	NW	SW	SE	
	Т	R	NE	NW	SW	SE	NE	NW	3 W	OL2			3 W	SE	NE	NW	3 W	SE	
	Т	R	NE	NW	SW	SE	NE	NW	3 W	. SIL			3 W	SE	NE	NW	3 W	SE	

WATER RESOURCES RECEIVED

Page 1 of 2


SEP 1 5 2016

sup	plemental sh	eets as needed.				
a.	Indicate the	soils in the field(s) and the	ir intake rates:			
	S	oil	Percent	Iı	ntake	Irrigation
	Na	ime	of field		Rate	Design
			(%)	•	n/hr)	Group
	Hobbs silt		58	· ·	0-2.00	5
	Detroit silt	y clay loam	42	0.0	6-0.20	3
			0			
		 	0			
	T	otal:	100 %			
b.	Estimate the	e average land slope in the f	ield(s):	0-1	%	
	Estimate the	maximum land slope in th	e field(s):	1	%	
c.	Type of irrig	gation system you propose	to use (check one	e):		
	Ce	nter pivot	Center	pivot - LEPA		_ "Big gun" sprinkler
	Gr	avity system (furrows)	Gravity	system (bord	ers)	_ Sideroll sprinkler
	Other, pleas	se describe: <u>Underground s</u>	prinkler system	with pop-up s	prinkler head	ls
d.	System desi	gn features:				
	•	-				
	i. Descri	be how you will control tai	lwater: Will scl	hedule and ap	ply irrigation	to eliminate run-off
	ii. For sp	rinkler systems:				
	(1)	Estimate the operating pro	essure at the dist	ribution syster	m: <u>NA</u>	psi
	(2)	3371	1			
	(2)	What is the sprinkler pack	tage design rate	! <u>NA</u>	gpm	
	(3)	What is the wetted diamet	er (twice the dis	stance the sprin	nkler throws	water) of a sprinkler on
		the outer 100 feet of the s	ystem? <u>NA</u>	feet		
	(4)	Dlagge include a comula fit	hil.l		· C - · · · · · · · · ·	
	(4)	Please include a copy of t	ne sprinkier paci	kage design in	normation.	
e.	Crop(s) you	intend to irrigate. Please n	ote any planned	crop rotations	s: Turf grass	3
c	Dlagar 4.	2h - h	andram ka ta ta ta d	1 1.	-1	
f.		ribe how you will determine you do not plan a full irriga				
	1	,	,. ~~~.			

2. Please complete the following information for the description of the operation for the irrigation project. Attach

You may attach any additional information you believe will assist in informing the Division of the need for your request.

Application Map



I declare that all water wells or diversion sites using the same so proposed point of diversion have been plotted. Signature	source of supply and within 1/2 mile of the below don the application map. ** See 1076 below 8/29/16 Date
New Application	• Declarate (Discouries
Application No To Change:	Proposed Point of Diversion
<u> </u>	Existing Points of Diversion
Point of Diversion WATER RESOURCES RECEIVED	Proposed Place of Use
Place of Use SEP 1 5 2016	Authorized Place of Use
Use Made of Water	
KS DEPT OF AGRICULTURE	
	large number of wells within

V2 mile, the applicant requests that a public notice be published in the area newspaper to notify Completed By GMD2 Staff nearby well owners

See Attached for Points of Diversion within 1/2 mile of proposed point

8-29-2016	
 (Date)	

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re: Application
File No. ______

Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

Signature of Applicant

State of Kansas

County of <u>Haw</u>

Ethan T. Rein

(Print Applicant's Name)

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 29 day of 0, 0.

Notary Public

My Commission Expires:

A KRISTIN M. MUELLER

Notary Public - State of Kansas

My Appt. Expires 10)/7/2017

WATER RESOURCES RECEIVED

SEP 1 5 2016

MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)

Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River

Historical Weather

McPherson

2012-04-01 -- 2012-11-01

	Air Tems	erature	Relative Humidity	Precip	Wind	Speed	Solar Radiation	ETo		Water Level		Water Elev
	Max*F	Min °F	Avg %	Total inches	Avg mph	Max mph	Total ly	Grass Inches	Avg ft	Max ft	Min ft	Avg ft
34-01	80.7	58.8	89.5	0	11.9	23.5	558.7	0.20	92.2	92.3	92.2	1401.9
14-02	78.7	54.6	90,4	0	13.0	26.6	575.4	0.21	92.3	92.3	92.2	1401.8
04-03	65.0	49.5	95.2	0.07	7.6	23.7	272.1	0.10	92.2	92.3	92.2	1401.9
04-04	61.1	51.5	99.8	2.24	7.8	18.7	208.4	0.07	92.2	92.2	92.1	1401.9
4-05	54.3	46.0	100.0	0	6.1	14.2	111.5	0.04	92.2	92.3	92.2	1401.8
4-06	58.2	42.4	99.0	0	7.0	17.8	323.6	0.11	92.2	92.2	92.1	1401.9
04-07	62.6	45.8	78.5	0.07	9.2	26.1	527.9 651.8	0.19 0.24	92.1 92.1	92.2 92.2	92.1 92.0	1401.9 1402.0
04-08	64.1	34.1	79.7 90.1	0 0.01	3.7 3.0	13.3 14.7	416.5	0.15	92.2	92.2	92.1	1401.9
04-09 04-10	66.3 62.4	38.4 44.2	65.3	0.01	7.2	17.0	627.0	0.23	92.1	92.2	92.1	1401.9
04-11	54.9	45.3	64.9	0	8.7	17.3	231.0	0.08	92.1	92.2	92.0	1402.0
04-12	61.4	49.4	88.7	0.05	12.7	27.1	140.3	0.05	92.2	92.3	92.2	1401.9
D4-13	75.4	57.5	78.3	0	7.4	26.7	583.5	0.21	92.3	92.3	92.3	1401.7
04-14	70.6	57.5	98.7	0.03	14.9	34.6	127.9	0.05	92.3	92.3	92.2	1401.8
04-15	68.7	46.6	77.4	0.02	17.3	41.0	538.2	0.20	92.3	92.3	92.2	1401.8
04-16	64.5	40.6	80.7	0	5.4	17.5	670.2	0.25	92.1	92.2	92.0 92.0	1401.9 1402.0
04-17	68.4	41.4	86.4	0	7.5	19.7 23.9	674.2 666.1	0.25 0.25	92.1 92.2	92.1 92.3	92.1	1401.9
04-18	74.7	49.2 47.4	85.4 88.1	0	10.5 11.8	25.5 25.5	432.9	0.16	92.2	92.3	92.2	1401.9
04-19 04-20	69.4 59.9	41.8	78.4	0	9.9	24.1	583.5	0.22	92.1	92.3	92.1	1401.9
04-21	72.7	34.5	78.7	0	5.4	17.7	690.7	0.26	92.1	92.2	92.1	1402.0
04-22	62.6	36.3	70.5	0	9.2	22.5	696.9	0.26	92.1	92.1	92.0	1402.0
04-23	69.3	33.4	76.6	0	3.5	11.3	707.4	0.26	92.1	92.2	92.0	1402.0
04-24	87.5	43.5	76.5	0	7.0	18.7	690.7	0.26	92.2	92.3	92.2	1401.9
04-25	85.4	53.7	70.0	0	4.9	15.7	651.6	0.24	92.2	92.3	92.2 92.1	1401.9 1401.9
04-26	7\$.7	52.3	72.4	0	5.5	14.5	480.4 371.1	0.17 0.13	92.1 92.2	92.2 92.3	92.1	1401.9
04-27	80.0	55.5	81.7 85.0	0	14.2 7.6	31.3 18.9	643.4	0.24	92.1	92.2	92.1	1401.9
04-28	69.1 67.2	43.4 52.7	99.3	0.74	6.1	19.4	299.0	0.11	92.1	92.1	92.1	1402.0
04-29	74.3	53.7	96.3	0.48	4.9	24,4	348.4	0.13	92.1	92.2	92.1	1402.0
05-01	80.2	56.8	94.0	0	11.3	26.2	612.4	0.23	92.2	92.3	92.2	1401.9
05-02	81.6	65.0	94.4	0	11.5	21.7	651.6	0.24	92.2	92.3	92.2	1401.9
05-03	83.6	86.6	91.1	0	6.4	23.2	476.4	0.17	92.2	92.2	92.2	1401.9
05-04	88.2	66.7	83.0	0	8.5	25.2	701.2	0.26	92.2	92.2	92.2	1401.9
05-05	84.9	65.0	88.9	0	9.2	21.4	715.5	0.27	92.2	92.2	92.2	1401.9
05-06	77.9	58.8	93.5	0	10.8	24.6	321.7	0.12	92.2	92.2	92.1 92.0	1401.9 1402.0
05-07	68.5	44.1	73.1	0	9.7	23.7 18.7	344.4 583.5	0.12 0.22	92.1 92.0	92.1 92.1	92.0	1402.0
05-08	74.9	42.0 37.7	69.6 69.9	0	4.1 3.7	11.0	750.6	0.22	92.1	92.2	92.0	1402.0
05-09	74.1 84.3	47,4	69.9	0	7.3	20.2	740.3	0.28	92.2	92.2	92.2	1401.9
05-11	74.2	49.4	89.8	0.45	3.4	14.5	286.6	0.11	92.1	92.2	92.0	1401.9
05-12	66.4	47.3	89.8	0.09	6.8	17.0	509.3	0.19	92.0	92.1	92.0	1402.0
05-13	74.5	43.8	75.1	0	3.4	13.0	695.0	0.26	92.1	92.1	92.0	1402.0
05-14	79.1	49.8	78.3	0	3.3	13.5	649.6	0.24	92.1	92.2	92.1	1402.0
05-15	87.3	49.2	71.4	0	3.1	10.3	754.7	0.28	92.2	92.2	92.2	1401.9 1402.0
05-16	84.9	49.5	58.5	0	6.7	14,3	746.5 744.4	0.28 0.28	92.2 92.2	92.2 92.3	92.1 92.2	1401.9
05-17	90.5	54.7	57.0	0	10.4 14.1	26.1 31.1	670.2	0.25	92.3	92.3	92.2	1401.9
05-18 05-19	89.6 87.9	65.2 58.3	55.6 73.2	0.11	13.9	28.7	548.4	0.21	92.3	92.3	92.2	1401.9
05-20	77.1	50.5	71.4	0.11	6.9	20.5	742.2	0,28	92.1	92.2	92.0	1402.0
05-20	80.3	49.3	58.4	0	4.9	14.0	771.1	0.29	92.1	92.2	92.1	1402.0
05-22	85.5	48.4	62.4	0	10.4	25.1	730.1	0.27	92.2	92.3	92.2	1401.9
05-23	93.5	66.9	56.6	0	17.7	39.5	596.9	0.26	92.3	92.4	92.3	1401.7
05-24	86.2	62.9	61.8	0	7.8	26.9	695.0	0.26	923	92.3	92.2	1401.7
05-25	88.4	66.8	80.1	0	11.2	23.9	385.7	0.14	92.2	92.2	92.2	1401.9 1401.9
05-26	96.8	74.0	71.9	0	14.0	27.9	604.3	0.22 0.24	92.2 92.2	92.2 92.3	97.2 92.2	
05-27	92.0	70.6	69.1	0	16.3	31.4	653.7	U. Z*	93.0	93.1	93.0	1 KS 1

	Air Temp	erature	Relative Humidity	Precip	Wind	Speed	Solar Radiation	ETo		Water Level		Water Elev
	Max °F	Min °F	Avg %	Total inches	Avg mph	Max mph	Total ly	Grass inches	Avg ft	Max ft	Min ft	Avgft
05-28	89.1	62.9	47.5	0	7.1	22.7	791.9	0.30	92.2	92.3	92.2	1401.9
05-29	90.2	54.0	47,7	0	7.7	18.0	760.9	0.28	92.2	92.3	92.2	1401.9
05-30	90.4	61.4	58.7	0.71	7.9	22.5	591.9	0.23	92.2	92.4	92.2	1401.9
05-31	68.5	46.7	79.5	0	10.6	27.2	754.7	0.28	92.2	92.3	92.2	1401.9
06-01	59.6	41.4	96.2	0.05	3.5	13.2	216.5	0.07	92.2	92.3	92.2	1401.9
06-02 06-03	84.7 88.3	45.9 53.2	74. <u>1</u> 84.5	0	3.8 6.4	11.5 17. 3	719.6 536.0	0.26 0.20	92.3 92.3	92.3 92.4	92.3 92.3	1401.7 1401.7
06-04	95.7	60.8	67.6	0	4.2	17.5	734.1	0.27	92.3	92.3	92.3	1401.7
06-05	89.4	51.8	63.6	0	6.9	17.2	748.4	0.28	92.3	92.3	92.3	1401.7
06-06	86.4	61.3	63.6	C	9,4	24.9	696.9	0.26	92.3	92.3	92.2	1401.7
06-07	85.4	59.7	66.7	0	8.2	19.7	676.4	0.25	92.2	92.2	92.2	1401.9
06-08 06-09	86.4 91.0	56.2 59.2	65.5 66.4	0	8.4 14.9	22.9 31.8	763.0 725.8	0.28 0.27	92.2 92.4	92.4 92.4	92.2 92.4	1401.9 1401.7
06-10	94.5	70.6	73.4	0.03	14.7	34.1	606.2	0.22	52.4	92.4	92.4	1401.7
06-11	87.2	61.1	57.0	0	8.1	21.0	783.5	0.29	92.3	92.4	92.2	1401.7
06-12	87.0	56.0	5\$.8	0	7.7	23.4	680.4	0.25	92.3	92.4	92.2	1401.8
06-13	90.5	63.2	61.6	0	13.5	27,9	742.2	0.28	92.4	92.5	92.3	1401.7
06-14 06-15	95.3 83.9	64.0 62.8	77,9 83,7	1.21 0.33	15.3 5.7	31.4 18.3	703.1 734.1	0.25 0.27	92.5 92.4	92.5 92.5	92.4 92.4	1±01.6 1401.7
06-15	97.5	63.9	81.3	0.33	6.3	37.3	647.5	0.24	92.4	92.4	92.3	1401.7
06-17	93.5	58.4	75.9	0	11.5	26.4	725.8	0.27	92.4	92.5	92.3	1401.7
06-18	94.7	69.7	73.8	0	16.9	30.3	763.0	0.28	92.5	92.6	92.5	1401.3
06-19	91.9	72.1	74.2	0 .	19.4	37.1	744,4	0.28	92.5	92.5	92.5	1401.3
05-20 06-21	87.3 84.4	63.4 61.5	83.6 72.0	0.06	17.8 7.4	34.3 21.2	367.1 754.9	0.14	92.5 92.4	92.5 92.4	92.4 92.3	1401.5 1401.7
06-22	87.4	57.8	66.0	0.14	7.6	18.5	781.6	0.29	92.4	92.5	92.4	1401.7
06-23	98.1	69.3	63.5	0	14.4	29.2	730.1	0.27	92.5	92.6	92.5	1401.3
06-24	102.8	72.0	63.3	0	10.7	23.2	763.0	0.28	92.6	92.6	92.5	1461.3
06-25	104.7	66.2	66.0	0	5.4	15.2	758.9	0.28	92.5	92.6	92.5	1401.3
06-26	105.8 106.7	72.9 74.1	64.5 58.5	0	10.4 13.3	22.9 26.6	758.9 764.9	0.28 0.28	92.6 92.6	92.6 92.6	92.5 92.6	1401.3 1401.3
06-27 06-28	105.2	70.7	55.3	0	10.6	22.9	763.0	0.29	92.5	92.6	92.5	1401.3
06-29	103.3	73.6	50,7	0	11.7	25.6	723.9	0.27	92.5	92.7	92.6	1401.3
06-30	102.5	71.9	56.5	0	10.0	23.7	674.2	0.25	92.7	92.7	92.6	1401.3
07-01	97.9	74.2	60.1	0	9.5	22.7	659.9	0.24	92.5	92.6	92.6	1401.3
07-02	96.7	71.0	66.4	0	10.4	23.5	715.5 695.0	0.26 0.26	92.5 92.5	92.6	92.6	1401.3 1401.3
07-03 07-04	98.3 100.6	70.8 74.3	60.5 53.7	0	10.5 12.2	23.4 25.7	727.9	0.27	92.7	92.7 92.7	92.6 92.6	1401.3
07-05	100.3	72.1	53.3	0	9.7	20.9	746.5	0.28	92.6	92.7	92.6	1401.3
07-06	102.3	76.0	50.0	0	8.7	21.2	746.5	0.28	92.6	92.6	92.6	1401.3
07-07	102.7	70.9	54.1	0	5.3	22.5	527.9	0.20	92.6	92.7	92.6	1401.3
07-08	90.8	69.9 71.5	79.3	0.03	9.5	21.9	705.3 344.4	0.26 0.13	92.7 92.7	92.7 92.7	92.7 92.7	1401.3 1401.3
07-09 07-10	80.4 90.5	71.5 68.0	84.6 65.2	0	8.6 8.4	23.0 21.4	344.4 610.3	0.13	92.7	92.7	92.7	1401.3
07-11	92.3	56.3	61.1	0	4.6	15.3	769.2	0.29	92.7	92.8	92.7	1401.3
07-12	96.3	63.5	\$6.8	0	5.7	18.3	746.5	0.28	92.8	92.9	92.8	1401.1
07-13	96.1	68.6	58.1	0	7.4	22.7	513,4	0.19	92.8	92.9	92.8	1401.1
07-14	101.1	67.7 72.0	57.6 56.0	0	6.7	18.0 23.0	717.7 730.1	0.27 9.27	92.8 92.9	92.9 92.9	92.8 92.8	1401.1 1401.1
07-15 07-16	98.2 95.7	72.0 71.0	56.8 64.2	0	10.1 11.1	23.0	715.5	0.26	92.9	92.9	92.9	1401.1
07-17	101.5	73.3	53.6	0	12.6	26.2	730.1	0.27	93.0	93.0	93.0	1401.0
07-18	105.4	76.1	47.3	0	11.0	28.2	657.8	0.24	93.0	93.0	92.9	1401.0
07-19	106.5	71.9	49.6	0	5.5	19.9	711.5	0.26	92.9	93.0	92.9	1401.0
07-20	103.8	72.2	46.4	0	7.7	22.0	746.5	0.28	92.9	92.9	92.8	1401.1
07-21 07-22	103.1 101.8	64,9 68,5	44.6 48.7	0	7,3 7,4	18.9 21.4	717.7 723.9	0.27 0.27	92.9 93.0	93.0 93.0	92.9 92.9	1401.0 1401.0
07-23	101.4	70.4	51.2	ö	9.2	25.2	727.9	0.27	93.0	93.1	93.0	1401.0
07-24	102.3	76.3	51.5	0	14.1	29.1	715.5	0.26	93.1	93.2	93.0	1401.0
07-25	105.9	72.7	55.4	0.25	13.7	40.9	676.4	0.25	93.2	93.3	93.2	1400.9
07-26	94.1	69.5	76.4	0.12	4.5	19.0	701.2	0.26 0.27	93.2 93.1	93.2 93.1	93.1 93.0	1400.9 1401.0
07-27 07-28	98.5 104.4	69.2 73.3	62.5 48.2	0	5.6 10.6	14.8 23.0	732.0 680.4	0.27	93.1	93.1 93.2	93.0	1401.0
07-29	107.5	77.2	48.9	0.01	8.4	22.0	656.1	0.25	53.2	93.3	93.2	1400.9
summary	83.1	56.5	69.9	9.92	8.7	44.8	548.3	43.03	93.0	93.1	93.0	1401.0

	Air Temp	erature	Relative Humidity	Precip	Wind :	ipeed	Solar Radiation	ETo		Water Level		Water Elev	
	Max*F	Min °F	Avg %	Total inches	Avg mph	Max mph	Total ly	Grass inches	Avg ft	Max ft	Min ft	Avgit	
07-30	99.8	74.3	55.0	0	8.0	21.2	457.8	9.17	93.2	93.3	93.2	1490.9	
07-31	101.5	74.2	57.3	0	7.9	19.4	571.1	0.21	93.2	93.3	93.2	1400.9	
08-01	103.8	75.4	59.7	0	9.4	26.4	604.3	0.22	93.3	93.4	93.2	1400.8	
08-02 08-03	96.0 98.8	73.2 73.7	59.8 63.8	0 0.05	10.6 7.7	38.3 24.9	556.8 614.6	0.20 0.23	93.4 93.4	93.4 93.4	93.3 93.4	1400.7 1400.7	
08-04	85.1	62.6	71.0	0.03	10.5	27.2	449.6	0.16	93.3	93.4	93.2	1400 7	
08-05	92.3	55.9	56.9	0	5.2	16.7	701.2	0.26	93.3	93.3	93.2	1400.8	
08-06	98.3	60.1	43.6	0	8.3	20.7	656.1	0.24	93.4	93.5	93.3	1400.7	
08-97	93.9	67.0	59.5	0.02	7.2	30.9	235.1	0.09	93.4	93.5	93.4	1400.7	
08-08	102.5 87.9	65.3 63.0	55.2 64.8	0	6.9 10.4	21.9 25.7	666.1 705.3	0.24 0.26	93.4 93.4	93.5 93.5	93.4 93.4	1400.6 1400.7	
08-09 08-10	86.9	57.9	60,9	0	6.9	19.5	622.7	0.23	93.4	93.4	93.4	1400.7	
08-11	89.2	59.3	49,4	0	8.8	18.7	550.6	0.20	93.5	93.5	93.4	1400.4	
08-12	92.0	67.6	51.3	0	10.1	27.2	678.5	0.25	93.5	93.6	93.5	1400.4	
08-13	83.3	57.5	68.6	0	9.1	26.1	676.4	0.25	93.4	93.5	93.4	1400.7	
08-14 08-15	73.9 93.5	60.8 58.1	91.7 80.3	0.43 0	7.6 9.6	22.9 23.5	393.8 649.6	0.14 9.24	93.4 93.5	93.5 93.7	93.4 93.5	1400.4 1400.3	
08-16	77.6	61.7	68.6	0	12.1	27.1	573.3	0.21	93.5	93.6	93.4	1400.6	
08-17	82.4	53.1	59.1	0	4.4	13.7	595.9	0.22	93.5	93.6	93.4	1400,4	
08-18	85.3	63.0	49.6	0	6.4	15.0	511.5	0.19	93.6	93.7	93.5	1400.3	
08-19	80.9	54.4	61.0	0	8.2	20.2	680.4	0.25	93.5	93.6	93.5	1400.4	
08-20 08-21	87.5 90.3	50.0 55.1	50.2 46.5	0 0	3.4 5.1	13.3 20.7	643.4 637.2	0.24 0.24	93.5 93.5	93.6 93.6	93.5 93.5	1400.3 1400.3	
08-22	90.6	62.2	54.0	0	11.9	31.3	628.9	0.23	93.5	93.6	93.5	1400.3	
08-23	92.1	70.1	55.0	0	16.7	31.8	521.7	0.19	93.6	93.7	93.6	1400.3	
08-24	78.7	66.6	89.8	0.52	13.1	26.2	231.0	0.08	93.7	93.7	93.7	1400.3	
08-25	77.7	65.4	99.7	0.97	7.4	21.5	237.2 534.1	0.09 9.20	93.7 93.6	93.7 93.7	93.7 93 .6	1400.3 1400.3	
08-26 08-27	81.6 89.4	67.0 61.8	91.9 79.8	0	5.9 3.8	15.0 15.0	612.4	0.22	93.6	93.6	93.6	1400.3	
08-28	91.5	61.4	70.0	0	3.9	16.2	614.6	0.22	93.6	93.7	93.6	1400.3	
08-29	92.9	60.6	67.5	0	5.4	18.0	604.3	0.22	93.7	93.8	93.7	1400.3	
08-30	97.2	65.8	57.7	0	5.2	16.2	602.1	0.22	93.7	93.8	93.7	1400.3	
08-31 09-01	91.0 91.6	61.4 61.6	71.3 76.8	0	6.8 5.8	21.7 16.0	608.4 598.1	0.22 0.22	9 3. 7 93.7	93.7 93.7	93.7 93.6	1400.3 1400.3	
09-02	100.6	66.6	53.5	0	7.5	17.8	606.2	0.22	93.7	93.8	93.7	1400.2	
09-03	104.6	71.1	62.6	0	8.6	24.4	567.1	0.20	93.8	93.8	93.8	1400.1	
09-04	97.4	66.8	69.3	0.04	6.8	27.6	529.8	0.19	93.8	93.8	93.7	1400.2	
09-05	88.6	63.5	77.8	0	6.1	20.9	585.7	0.21	93.8	93.8	93.7	1400.2	
09-06 09-07	93.9 80.0	61.3 52.4	63.7 81.1	0 0.28	7,4 10.8	22.0 44.8	577_3 218.6	0.21 0.07	93.7 93.8	93.8 93.8	93.6 93.7	1400.3 1400.2	
09-08	78.3	46.6	72.8	0.02	5.7	18.9	622.7	0.22	93.7	93.8	93.7	1400.3	
09-09	76.6	51.4	65.2	0.01	6.0	19.2	618.5	0.22	93.7	93.8	93.7	1400.3	
09-10	88.1	49.6	61.5	0	10.0	25.1	608.4	0.22	93.8	93.9	93.7	1400.1	
09-11	92.7	56.1	48.8	0	16.1	35.0	581.4	0.21	93.9	93.9	93.9	1400.0	
09-12 09-13	92.9 57.0	56.5 52.1	58.7 99.9	0.01	15.6 12.8	37.0 26.4	455,6 74,2	0.17 0.02	93.9 93.8	93.9 93.8	93.8 93.7	1400.0 1400.1	
09-14	72.0	46.6	74.4	0	7.6	21.5	558.7	0.20	93.8	93.8	93.7	1400.2	
09-15	69.1	52.2	94.3	0.01	4.3	11.8	241.3	0.08	93.9	93.9	93.8	1400.1	
09-16	77.7	59.2	87.9	0	4.6	12.5	412,4	0.15	93.9	94.0	93.9	1400.0	
09-17	70.9 76.5	48.3 42.6	93.7 70,2	0	9.0 6.3	25.2 20.5	371.1 548.4	0.14 0.20	94.0 93.9	94.0 94.0	93.9 93.8	1400.0 1400.1	
09-18 09-19	90.8	53.5	56.4	0	9.8	20.9	544.4	0.19	94.0	94.0	93.9	1400.0	
09-20	81.7	46.5	47.8	0	6.6	15.8	503.1	0.18	93.9	94.0	93.9	1400.0	
09-21	83.9	54.3	50,4	9	6.8	22.2	536.0	0.19	94.0	94.0	93.9	1400.0	
09-22	71.1	50.8	47.7	0	8.8	22.0	534,1	0.19	93.9	93.9	93.8	1400.0 WATER RESO	URCES
09-23 09-24	74.0 87.8	48.4 50.5	41.2 64.0	0	9.5 7.9	19.7 20.7	496.9 371.1	0.18 0.13	93.9 94.0	93.9 94.0	93.8 93.9	1400.1 RECEIVE	:D
09-24	80.0	54.9	78.6	0	6.6	24.7	313.4	0.11	94.0	94.1	94.0		2010
09-26	68.9	57.5	98.2	0.02	7.8	21.7	152.5	0.05	94.0	94.1	93.9	1400.0 SEP 1 5	סוטי
09-27	71.0	55.3	97.3	0.01	4.5	11.8	197.9	0.07	93.9	93.9	93.9	1400.1	
09-28	70.5	55.7	95.7	0	5.3	14.8	208.4 373.3	0.07 0.13	93.9 93.9	93.9 94.0	93.9 93.9	1KS DEPT OF AGRI	CULTURE
09-29 09-30	71.0 74.5	53.6 50.3	79.3 73.6	0.01	4.8 2.8	16.7 11.3	3/3.3 402.1	0.13	94.0	94.0	93.9	1406.0	
summary	83.1	56.5	69.9	9.92	8.7	44,8	548.3	43.03	93.0	93.1	93.0	1401.0	

	Air Temperature		Relative Humidity	Precip	Wind Speed		Solar Radiation	ETo	To Water Level			Water Elev
	Max *F	Min °F	Avg %	Total inches	Avg mph	Max mph	Total ly	Grass inches	Avg ft	Max ft	Min ft	Avg ft
10-01	69.9	48.6	87.8	0.01	10.2	31.3	249.4	0.09	94.0	94.0	94.0	1400,0
10-02	74.2	39.6	63.5	0	4.8	14.2	505.3	0.18	94.0	94.1	93.9	1409.0
10-03	81.0	42.0	62.2	0	12.1	33.3	484.5	0.17	94.1	94.1	94.0	1400.0
10-04	68.8	47.9	65.4	6	12.9	29.9	323.6	0.11	94.0	94.1	93.9	1400.0
10-05	53.7	35.2	66.8	0	10.1	25.6	338.2	0.12	93.9	94.0	93.9	1400.C
10-06	43.7	34.2	86.3	0	6.7	21.9	109.3	0.04	93.9	94.0	93.9	1400.C
10-07	52.7	23.9	78.5	0	5.1	19.4	412.4	0.14	94.0	94.1	93.9	1400.0
10-08	69.4	31.3	63.2	0	11.5	27.2	472.3	0.16	94.1	94.2	94.1	1400.0
10-09	63.9	35.3	70.2	0	9.6	28.7	424.8	0.14	94.2	94.2	94.1	1399.9
10-10	66.7	31.5	55.2	Đ	4.5	17.0	445.3	0.15	94.1	94.1	94.0	1400.0
10-11	81.1	45.8	61.8	0	10.5	25.6	416.5	0.14	94.1	94.2	94.1	1400.0
10-12	62.7	47.2	88.8	0.01	9.0	25.1	59.9	0.02	94.1	94.1	94.0	1400.0
10-13	78.3	55.0	97.0	0	10.8	25.4	189.7	0.06	94.2	94.2	94.1	1399.9
10-14	72.2	52.3	75.0	0	10.7	32.6	432,9	0.15	94.1	94.2	94.1	1399.9
10-15	84.2	45.1	68.8	0	5.8	16.2	422.7	0.14	94.1	94.2	94.1	1400.0
10-16	80.1	51.4	64.0	0	6.8	17.0	416.5	0.14	94.2	94.2	94.2	1399.9
10-17	67.0	45.6	63.3	0	11.8	32.1	338.2	0.12	94.2	94.3	94.2	1399.9
10-18	63.4	42.8	39.5	0	18.2	43.2	391.9	6.13	94.2	94.2	94.1	1399.9
10-19	63.7	41.7	47.0	ð	10.9	27.9	428.9	0.15	94.2	94.2	94.1	1399.9
10-20	82.4	40.3	55.4	0	€.6	17.3	406.2	0.14	94.2	94.2	94.2	1399.9
10-21	84.9	55.8	83.4	0	11.7	29.8	296.9	0.10	94.2	94.2	94.2	1399.9
10-22	72.9	51.5	96.2	0	5.8	18.7	163.0	0.06	94.2	94.3	94.2	1399.9
10-23	85.5	59.4	77.9	0	12.9	24.6	375.2	0.13	94.2	94.2	94.2	1399.9
10-24	80.0	62.7	89.1	0	14.2	31.3	264.0	0.09	94.2	94.2	94.2	1399.9
10-25	69.3	30.7	88.1	0.02	16.5	33.4	251.6	0.08	94.2	94.3	94.2	1399.9
10-26	43.9	25.3	80.0	0	9.9	22.4	313.4	0.10	94.1	94.2	94.0	1400.0
10-27	46.2	22.1	77.4	0	3.9	14.8	319.6	0.10	94.1	94.2	94.1	1400.0
10-28	54.7	25.5	68.1	0	8.4	17.5	325.8	0.10	94.2	94.2	94.1	1399.9
10-29	65.6	38.4	53.9	0	11.7	25.1	360.9	0.12	94.2	94.3	94.2	1399.9
10-30	68.3	36.6	61.6	0	5.8	14.3	358.7	0.12	94.3	94.3	94.2	1399.7
10-31	68.1	32.8	71.2	٥	3.5	12.3	352.5	0.11	94.2	94.2	94.2	1399.9
11-01	77.3	38.1	63.0		3.9	12.1	344.4	W.11	94.2	94.3	94.2	1399.9
summary	83.1	56.5	69.9	9.92	8.7	44.8	548.3	43.03	93.0	93.1	93.0	1401.0

TOTAL ET APRIL - NOU - 43"

TOTAL PRECIPITATION APRIL-NOV - 9.92" (ASSUMING 100% USABLE)

DIFFERENCE OF 33.08" NEEDED FOR IRRIGATION

WATER RESOURCES RECEIVED

SEP 1 5 2016

KS DEPT OF AGRICULTURE

1320 Research Park Drive Manhattan, Kansas 66502



Phone: (785) 564-6700 Fax: (785) 564-6777 Email: ksag@kda.ks.gov www.agriculture.ks.gov

Sam Brownback, Governor

Jackie McClaskey. Secretary

September 16, 2016

CITY OF HALSTEAD 303 MAIN STREET HALSTEAD KS 67056

FILE COPY

RE: Application File No. 49704

Dear Sir or Madam:

Your application for permit to appropriate water in 35-23S-2W in Harvey County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6645. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Brent A Turney, P.G.

Change Application Unit Supervisor Water Appropriation Program

BAT: dlw

pc: STAFFORD Field Office

GMD 2

WATER WELL REC	ORD	Form WWC-	-5	Division of Water	er Resources; App. No.	
1 LOCATION OF WAT County: HAR UE	ÇER WELL:	Fraction SW/ A	JE1/4 S	Section Number	Township Number T S S	Range Number R EW
Distance and direction located within city?	from nearest town or cit	y street address of we	ell if G I	_atitude:	g Systems (decimal deg	-
2 WATER WELL OW RR#, St. Address, Box City, State, ZIP Code	NER: CHY OF # : 303 main : Husterd, ks	•	I	Elevation: Datum: Data Collection	Method:	
2 Brass 4 Galv SCREEN OR PERFORAT 1 Continuous slot 2 Louvered shutter SCREEN-PERFORATED	Depth(s) Groundwater WELL'S STATIC WA' Pump test data: Est. Yield	Encountered (1) Encountered (1) Well water was Well water was USED AS: 5 Publ Blot 6 Oil field object of the concent of th	ic water sup c (lawn & mitted to Do Water rete tile (specify b 10 A.) 9 AF 10 A Sorch cut saw Cut	ch. (2)	measured on mo/day hours pumping conditioning 11 Inj watering 12 Ot nitoring well No; Yes No; G JOINTS: Glued Welded Threaded, Diameter ickness or guage No. 11 Other (Specify) 12 None used (open	/yrgpmgpm ection well her (Specify below) If yes, mo/day/yrsClamped in. toft. /// / / / / / / / / / / / / / / / / /
6 GROUT MATERIAL	1 Neat cement 2 C	Cement grout (3) Se	ntonite 4	Other	ft. to	
Grout Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer 1 Direction from well?	4 Lateral lines 5 Cess pool ines 6 Seepage pit	on: 7 Pit privy 1 8 Sewage lagoon 1 9 Feedyard 1	0 Livestoo 1 Fuel sto 2 Fertilize 4ow many	ck pens 13 In rage 14 A r Storage 15 O	secticide Storage bandoned water well il well/gas well	16 Other (specify below)
FROM TO	LITHOLOGIC		FROM	TO	PLUGGING INT	ERVALS
	101 SOIL					
1 20 0	LAY	······································				
1 2 2 - 0	THE IAND				WATER RESOL RECEIVE	IRCES
20 55 F	THE JAND		 		1\L\0=1\0=1	
35 50 Me	EDIUM SAND				SEP 1 5 2	016
					KS DEPT OF AGRIC	CULTURE
7 CONTRACTOR'S OR under my jurisdiction and Kansas Water Well Contra under the business name o	was completed on (mo/o actor's License No	day/year) /D/6 D This Water NICLIM TWO	% and t Well Reco by	his record is true ord was completed (signature)	to the best of my known on (no/day/year)	wledge and belief.
INSTRUCTIONS: Use typewr three copies to Kansas Departme	iter or ball point pen. <u>PLEAS</u> nt of Health and Environment D WATER WELL OWNE	SE PRESS FIRMLY and F t, Bureau of Water, Geolo	<u>PRINT</u> clearly gy Section, 1	. Please fill betank 000 SW Jackson St.,	Suite 420, Topeka, Kansas	66612-1367. Telephone